

SECTION 1: Identification of the substance/mixture and of the company**1.1 Product Identifier**

Product code: Coated abrasives, Aluminum Oxide
Product name: Tolex - Super Tack
Art.-No.: 191-1533, 193-1563, 195-1593, 730-1502
Available grits: K1500

1.2. Relevant identified use of the substance/mixture

Relevant identified use: grind/surface regulation/thickness control

1.3. Contact data of the company issuing the material safety data sheet:

Kovax Europe B.V.
Bedrijvenpark Twente 49
7602 KC Almelo
The Netherlands
Phone: +31 53 434 31 31
Fax: +31 53 430 49 00
E-mail: info@kovax.eu

SECTION 2: Hazard(s) identification**2.1 Classification of the substance or mixture:**

GHS-US classification Not classified

2.2 Label elements

Hazard pictograms(GHS-US) :

Signal ward: Not applicable.
Hazard statements: Not applicable.
Precautionary statement: Not applicable.

2.3 Other hazards

Not applicable.

SECTION 3: Composition/information on ingredients**3.1 Substances.**

Ingredient	Product identifier	%
Aluminium Oxide	1344-28-1	10
Urethane Resin	Mixture	25
Cured resin	Mixture	20
Calcium stearate	1592-23-0	5
Velour	-	40

SECTION 4. First aid measures**4.1. Description of first aid measures**

After inhalation:	When symptoms occur: go into open air and ventilate suspect area. Remove to fresh air and keep at rest in a position comfortable for breathing. Call a doctor/physician if you feel unwell.
After skin contact:	Wash with soap and water
After eye contact:	Flush with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
After ingestion:	Rinse mouth

Most important symptoms and effects, both acute and delayed
See section 11 toxicological information

Indication of any immediate medical attention and special treatment needed
Not applicable

SECTION 5. Firefighting measures**5.1 Extinguishing media**

Suitable extinguishing media: Water stream, dry chemical, firefighting foam
Unsuitable extinguishing media: -

5.2 Special Hazards arising from the substance or mixture

None inherent for this product

5.3 Advice for firefighters

Protection during firefighting: Backing & Resin will burn or decompose, use respiratory protection

SECTION 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Observe precautions from other sections.

6.2 Environmental precautions

Not applicable

6.3 Reference to other section

Not applicable

SECTION 7. Handling and storage

7.1 Precautions for safe handling

Precautions for safe handling: Keep away from open flames. Avoid breathing of dust created by sanding, grinding or machining. Recommend to use outdoor or in a well-ventilated area. Wear recommended personal protection equipment.

Hygiene measures: Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with soap and water before eating, drinking, or smoking and again when leaving work.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures: -

Storage conditions: Store in a dry and well-ventilated place. Keep container closed when not in use.

Incompatible products: -

Incompatible materials: -

Storage area: Keep in dry place

Special rules on packing: -

7.3 Specific end use(s)

None

SECTION 8. Exposure controls/personal protection

8.1 Control parameters

None

8.2 Exposure controls

Appropriate engineering control: -

Personal proactive equipment:



Hand protection:	Wear protective gloves if needed
Eye protection:	Safety glasses
Skin protection:	Wear suitable protective clothing
Respiratory protection:	Dust protective mask
Other information:	When using, do not eat or drink

SECTION 9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state:	Solid
Appearance:	Solid Abrasive Product
Color:	Colored (Various kinds)
Odor:	Characteristic
Odor threshold:	Not applicable
pH:	Not applicable
Relative evaporation rate (butyl acetate=1):	Not applicable
Melting point:	Not applicable
Freezing point:	Not applicable
Boiling point:	Not applicable
Flash point:	Not applicable
Auto-ignition temperature:	Not applicable
Decomposition temperature:	Not applicable
Flammability (Solid, gas):	Not classified
Vapor pressure:	Not applicable
Relative vapor density at 20 °:	Not applicable
Relative density:	Not applicable
Density:	Not applicable
Solubility:	Not applicable
Log Pow:	Not applicable
Log Kow:	Not applicable
Viscosity, kinematic:	Not applicable
Viscosity, dynamic:	Not applicable
Explosive properties:	Not applicable
Oxidizing properties:	Not applicable

Explosive limits: Not applicable

Other information

No additional information available

SECTION 10. Stability and reactivity

Reactivity: Not reactive under normal use conditions
Chemical Stability: Stable
Possibility of Hazardous: Will not occur
Conditions to Avoid: Extremely high or low temperatures. High humidity. Open flame.
Incompatible Materials: None
Hazardous Decomposition: None

SECTION 11. Toxicological information

Information on toxicological effects

Acute toxicity: Not classified
Skin contact: None expected under normal use conditions
Eye contact: Dust from grinding, sanding, or machining may cause eye irritation
Inhalation: Dust from grinding, sanding or machining may cause irritation
Ingestion: No health effects are expected.
Carcinogenicity: Not classified
Reproductive toxicity: Not classified
Specific target organ toxicity (single exposure): Not classified
Specific target organ toxicity (repeated exposure): Not classified
Aspiration hazard: Not classified

SECTION 12. Ecological information

No ecological data is available for this product.

SECTION 13. Disposal considerations

Waste treatment methods

Regional legislation (waste): Dispose in accordance with all applicable local, state and federal regulations

Waste disposal recommendations: Standard landfill methods consistent with applicable federal, state & local laws.

Additional information: -

SECTION 14. Transport information

In accordance with DOT

UN Number : None



Hazard Classes (DOT) : None
Hazard labels (DOT) : None

SECTION 15. Regulatory information

Industrial Safety and Health Act

Ordinance on Prevention of Dust Hazard

You create dust when you cut, sand, drill or grind materials such as wood, paint, cement, masonry or metal. This dust often contains chemicals known to cause cancer, birth defects or other reproductive harm.

SECTION 16. Other information

NFPA Hazard Classification

Health: 0
Flammability: 1
Instability: 0
Special Hazards: None

The information and recommendations set forth herein are taken from sources believed to be accurate as of the date hereof, however, Kovax makes no warranty with respect to the accuracy of the information or the suitability of the recommendations, and assumes no liability to any users thereof.